

Smart, stylish  
laser devices  
for any business  
environment

i-SENSYS range

**i-SENSYS**



**Canon**  
OFFICIAL SPONSOR

# Set your business free



Work the way you want with this range of powerful laser devices built to save you time and money.

The i-SENSYS range of laser office equipment is perfect for any sort of business environment – from small home office to busy enterprise workgroups.

Built using Canon's market-leading technology and passion for imaging excellence, they range from colour and monochrome printers to sleek and compact multifunctionals.

Quality comes as standard on every device – with clean, crisp text, subtle greys, smoother curves and brilliant colour from the Colour range. As a result you project consistent professional output, every time, while cutting costs.

All devices qualify for Energy Star®. Innovative technologies, like our unique Quick First-Print where no time is wasted waiting for the printer to start from sleep mode, get you working faster and deliver outstanding professional results.

Straightforward networking, with Wi-Fi on some models, makes it simple to integrate devices with your existing setup. Easy to use – and maintain – the i-SENSYS range has the reliability that you expect from Canon, leaving you the freedom to concentrate on your job.


## Innovative technologies

Be more productive right away with Canon's Quick First-Print technologies:

**High-Performance Controller Technology** – for rapid print processing of even large and complex documents

**On-Demand Fixing** – uses minimal power and minimises warm-up time

**On-Demand Toner** – provides consistently high-quality output



## Save energy and cut costs

Superior energy efficiency comes as standard on the i-SENSYS range, helping you to save money, while reducing your carbon footprint.

- Each model is Energy Star certified
- Typical Electricity Consumption (TEC) ratings are among the best-in-class
- Low energy consumption in sleep mode – without affecting performance due to quick recovery time
- Automatic double-sided printing, available as standard on 60% of the range, significantly cuts costs by reducing paper usage
- Free Recycling – 100% of the cartridge will be recycled or recovered through the Canon cartridge recycling programme





### Brilliant colour performance

Make your mark with the finest-quality colour output, right when you need it. Canon's trusted reputation as a leader in innovative imaging technology means you can be sure of impressive colour output that sets you apart from the competition. Our intelligent colour technologies provide the most faithful reproduction, crisp, clear black text, and better gradations and skin tones. With Automatic Image Refinement you can enhance print resolution for a perfect finish – and all without any impact on print speed.

### Reliability by design

The robust design and easy maintenance of the i-SENSYS range help ensure continuous high quality output, time after time. The rigorous testing and quality assurance that each model goes through ensures superior quality and reliability, across the range.

### All-in-one easy maintenance

The all-in-one cartridge combines toner, cleaner and drum in one unit. Each part would otherwise need replacing separately. As a result, maintenance is quick, trouble-free and clean. Each time you replace with an authentic Canon Laser Cartridge your device will be as good as new – ensuring continuous top-quality output.



From the i-SENSYS Colour Laser Printer range

LBP7750Cdn



From the i-SENSYS Mono Laser Printer range

LBP6750dn



From the i-SENSYS Colour Multifunctional range

MF8380Cdw



From the i-SENSYS Mono Multifunctional range

MF5980dw



Find your perfect business partner among the **i-SENSYS range of lasers**. Easy to operate, they deliver **superb quality output** that will help your business make a **great impression**, time after time. You can choose from simple mono or colour **printers** to networked, **all-in-one devices** that combine printing, scanning, copying and faxing.

# Great desktop companions

Be more productive – and cut costs – with these top performers for **SoHo users and busy small businesses**.



## Modern style, compact design

Quality is always close at hand with these sleek and stylish space-saving devices. Designed for your convenience, they are quick and quiet to operate while delivering exceptional performance.

## Easy to use

Simple, uncomplicated design makes the i-SENSYS range extremely user-friendly. Clear, back-lit displays show all the essential information while one touch solution keys also give direct access to time-saving features. These include scan direct to PC; eco-copying for combining several pages into a single print out; and secure print, for outputting sensitive documents.

## Boost productivity

Save working time by making document sharing easier with Canon's SEND functionality. Users can scan documents direct to email, a network folder or a USB memory key. You can save storage space, without affecting the readability of documents, by using Compact PDF compression. Canon's Quick First-Print technologies also make sure there's little delay in printing or copying.

These space-savers will fit most desktops, providing an eye-catching addition to any busy small office.

# Productivity and efficiency combined

Easily integrated into your existing setup these cost-effective, business-ready laser devices are perfect for **busy workgroups and corporate offices**.

Designed to cope with the increasing demands of office life, i-SENSYS printers are a natural fit for your corporate network – providing printing services, right where your business needs them. These intelligent devices include many of the advanced features, which boost user productivity, that are found on our larger **imageRUNNER** multifunctional devices. These include eMaintenance, iWMC and CDS that minimise interruptions in your working environment. Network security features will protect sensitive information and reduce wastage costs.

## Easy integration

i-SENSYS gives you the freedom to grow quickly. With PCL compatibility and PostScript printing available, our networked laser devices will connect effortlessly into your existing IT environment to deliver the high-performance print solutions you expect.

## Productivity boosters

With the comprehensive i-SENSYS range you can pick the device that works for you and gives your users the services they need. Whether this is an intelligent, networked printer or a versatile multifunctional device, your people will appreciate the high-quality, high-speed output that enables them to do their jobs more effectively.

## Simpler management

Advanced features make print management easier and automate many time consuming tasks, freeing users to focus on more pressing activities.

## eMaintenance

- Cuts administration with automated meter readings
- Saves time with remote diagnostics
- Automates consumables ordering to maximise device uptime

## iW Management Console (iWMC)

- Manages, monitors and controls multiple networked devices to reduce total cost of ownership and ensure maximum productivity

## Content Delivery Server (CDS)

- Enables remote updating of device firmware and distribution of MEAP applications for more efficient maintenance

## Remote User Interface (RUI)

- Provides easy management over the network with no disruption to users



## Secure release through uniFLOW


Over a third of employees have seen confidential documents accidentally left on printers or copiers\*. Canon's uniFLOW Secure Printing can help your organisation's information **remain secure** whilst **significantly reducing paper waste and the cost of unintended print jobs**. 'My Print Anywhere' technology allows users to release their print jobs from any PCL-compatible laser printer. This offers the same **level of flexibility and increased user productivity** across the entire range of Canon devices. Print jobs are stored securely on the uniFLOW server and are only released once the user has authenticated at the device with either their building door pass, PIN code, username and password, or even, fingerprint.



































\* Document Security: A Trusting Business, Adam Gillbe, Document Solutions Manager, Canon Europe.  
[http://www.canon.co.uk/about\\_us/press\\_centre/press\\_resources/feature\\_stories/a\\_trusting\\_business.aspx](http://www.canon.co.uk/about_us/press_centre/press_resources/feature_stories/a_trusting_business.aspx)



# i-SENSYS Multifunctional Laser Printer Range Guide



































								
	Canon i-SENSYS MF3010	Canon i-SENSYS MF4410	Canon i-SENSYS MF4430	Canon i-SENSYS MF4450	Canon i-SENSYS MF4550d	Canon i-SENSYS MF4570dn	Canon i-SENSYS MF4580dn	Canon i-SENSYS MF5940dn
<b>Functions</b>	PRINT	PRINT	PRINT	PRINT	PRINT	PRINT	PRINT	PRINT
	COPY	COPY	COPY	COPY	COPY	COPY	COPY	COPY
	-	-	-	▶ FAX	FAX	FAX	FAX	FAX
	SCAN	SCAN	SCAN	SCAN	SCAN	SCAN	SCAN	SCAN
<b>SEND</b>	-	-	-	-	-	-	-	▶ YES
<b>Automatic double-sided printing</b>	NO	NO	NO	NO	▶ YES	YES	YES	YES
<b>Automatic double-sided printing, scanning, copying and faxing</b>	-	-	-	-	-	-	▶ YES	YES
<b>ADF</b>	-	-	▶ YES (35-sheets)	YES (35-sheets)	YES (35-sheets)	YES (35-sheets)	▶ DADF (50-sheets)	DADF (50-sheets)
<b>Print speed</b>	18 ppm (Mono)	▶ 23 ppm (Mono)	23 ppm (Mono)	23 ppm (Mono)	▶ 25 ppm (Mono)	25 ppm (Mono)	25 ppm (Mono)	▶ 33 ppm (Mono)
<b>First Copy Out Time</b>	Approx. 12 seconds or less	▶ Approx. 9.0 secs (Mono)	Approx. 9.0 secs (Mono)	Approx. 9.0 secs (Mono)	Approx. 9.0 secs (Mono)	Approx. 9.0 secs (Mono)	Approx. 9.0 secs (Mono)	▶ Approx. 8.0 secs or less (Mono)
<b>Enhanced resolution (dpi)</b>	1200 x 600 dpi	1200 x 600 dpi	1200 x 600 dpi	1200 x 600 dpi	1200 x 600 dpi	1200 x 600 dpi	1200 x 600 dpi	1200 x 600 dpi
<b>Paper Cassette</b>	150-sheet tray	▶ 250-sheets	250-sheets	250-sheets	250-sheets	250-sheets	250-sheets	250-sheets
<b>Multi Purpose Tray</b>	N/A	▶ 1-sheet	1-sheet	1-sheet	1-sheet	1-sheet	1-sheet	▶ 50-sheets
<b>Option Cassette</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	▶ 500-sheets
<b>Paper Capacity</b>	150-sheets	▶ 251-sheets	251-sheets	251-sheets	251-sheets	251-sheets	251-sheets	800-sheets
<b>Printer Languages</b>	UFRII-LT	UFRII-LT	UFRII-LT	UFRII-LT	UFRII-LT	UFRII-LT	UFRII-LT	▶ UFRII-LT, PCL5e, PCL6
<b>Interface</b>	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed	▶ USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX
<b>Duty Cycle</b>	8,000 pages	8,000 pages	8,000 pages	8,000 pages	▶ 10,000 pages	10,000 pages	10,000 pages	▶ 15,000 pages
<b>EnergyStar TEC rating (Typical Electricity Consumption - kWh/week)</b>	0.6	0.7	0.7	0.9	0.9	1.0	1.0	1.4

							
Canon i-SENSYS MF5980dw	Canon i-SENSYS MF8040Cn	Canon i-SENSYS MF8080Cw	Canon i-SENSYS MF8340Cdn	Canon i-SENSYS MF8360Cdn	Canon i-SENSYS MF8380Cdw	Canon i-SENSYS MF9220Cdn	Canon i-SENSYS MF9280Cdn
PRINT	PRINT	PRINT	PRINT	PRINT	PRINT	PRINT	PRINT
COPY	COPY	COPY	COPY	COPY	COPY	COPY	COPY
FAX	-	 FAX	-	 FAX	FAX	FAX	FAX
SCAN	SCAN	SCAN	SCAN	SCAN	SCAN	SCAN	SCAN
YES	-	-	 YES	YES	YES	YES	YES
YES	-	-	 YES	YES	YES	YES	YES
YES	-	-	-	 YES	YES	YES	YES
DADF (50-sheets)	YES (50-sheets)	YES (50-sheets)	 DADF (50-sheets)	DADF (50-sheets)	DADF (50-sheets)	DADF (50-sheets)	DADF (50-sheets)
33 ppm (Mono)	12 ppm (Mono) /8 ppm (Colour)	12 ppm (Mono) /8 ppm (Colour)	 20 ppm (Mono) /20 ppm (Colour)	20 ppm (Mono) /20 ppm (Colour)	20 ppm (Mono) /20 ppm (Colour)	 21 ppm (Mono) /21 ppm (Colour)	21 ppm (Mono) /21 ppm (Colour)
Approx. 8.0 secs or less (Mono)	Approx. 22.5 secs (Mono) / Approx. 29.3 secs (Colour)	Approx. 22.5 secs (Mono) / Approx. 29.3 secs (Colour)	 Approx. 15.5 secs (Mono) /  Approx. 16.2 secs (Colour)	Approx. 15.5 secs (Mono) / Approx. 16.2 secs (Colour)	Approx. 15.5 secs (Mono) / Approx. 16.2 secs (Colour)	 Approx. 12.5 secs (Mono) /  Approx. 12.5 secs (Colour)	Approx. 12.5 secs (Mono) / Approx. 12.5 secs (Colour)
1200 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi
250-sheets	150-sheets	150-sheets	 250-sheets	250-sheets	250-sheets	250-sheets	250-sheets
50-sheets	1-sheet	1-sheet	 50-sheets	50-sheets	50-sheets	 100-sheets	100-sheets
500-sheets	None	None	 250-sheets	250-sheets	250-sheets	 500-sheets	500-sheets
800-sheets	151-sheets	151-sheets	 550-sheets	550-sheets	550-sheets	 850-sheets	850-sheets
 UFR II-LT, PCL5e, PCL6, PostScript Level 3 Emulation	UFR II-LT	UFR II-LT	UFR II-LT	UFR II-LT	UFR II-LT	UFR II-LT	 UFR II-LT, PCL5c/6, PostScript Level 3 Emulation
 USB 2.0 Hi-Speed, 10BASE-T /100BASE-TX, Wireless 802.11b/g	USB2.0 Hi-Speed, 10BASE-T/100BASE-TX	 USB2.0 Hi-Speed, 10BASE-T /100BASE-TX, Wireless 802.11b/g	USB2.0 Hi-Speed, 10BASE-T/100BASE-TX	USB2.0 Hi-Speed, 10BASE-T/100BASE-TX	 USB2.0 Hi-Speed, 10BASE-T /100BASE-TX, Wireless 802.11b/g	USB2.0 Hi-Speed, 10BASE-T/100BASE-TX	USB2.0 Hi-Speed, 10BASE-T/100BASE-TX
15,000 pages	30,000 pages	30,000 pages	 40,000 pages	40,000 pages	40,000 pages	 65,000 pages	65,000 pages
1.4	0.6	0.6	1.1	1.1	1.1	2.3	2.3

# i-SENSYS Laser Printer Range Guide



							
	Canon i-SENSYS LBP6000/ LBP600B	Canon i-SENSYS LBP6200d	Canon i-SENSYS LBP6300dn	Canon i-SENSYS LBP6670dn	Canon i-SENSYS LBP6680x	Canon i-SENSYS LBP6750dn	Canon i-SENSYS LBP7010C
<b>Functions</b>	PRINT	PRINT	PRINT	PRINT	PRINT	PRINT	PRINT
<b>Automatic double-sided printing</b>	NO	YES	YES	YES	YES	YES	-
<b>Print speed</b>	18 ppm (Mono)	25 ppm (Mono)	30 ppm (Mono)	33 ppm (Mono)	33 ppm (Mono)	40 ppm (Mono)	16 ppm (Mono) 4 ppm (Colour)
<b>FPOT</b>	7.8 secs (Mono)	6.0 secs (Mono)	6.0 secs (Mono)	Approx. 7.0 secs (Mono)	Approx. 7.0 secs (Mono)	8.0 secs (Mono)	13.6 secs (Mono) 24.7 secs (Colour)
<b>Enhanced resolution (dpi)</b>	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	1200 x 1200 dpi	1200 x 1200 dpi	2400 x 600 dpi	2400 x 600 dpi
<b>Paper Cassette</b>	150-sheets	250-sheets	250-sheets	250-sheets	250-sheets	500-sheets	150-sheets
<b>Multi Purpose Tray</b>	-	1-sheet	50-sheets	50-sheets	50-sheets	100-sheets	No
<b>Option Cassette</b>	No	No	500-sheets	500-sheets	500-sheets	500-sheets x 2	No
<b>Paper Capacity</b>	150-sheets	251-sheets	800-sheets	800-sheets	800-sheets	1600-sheets	150-sheets
<b>Printer Languages</b>	CAPT	CAPT	CAPT	UFR II, PCL5e, PCL6, PostScript Level 3 (Optional)	UFR II, PCL5e, PCL6, PostScript Level 3	PCL5e/PCL6/UFR II, PostScript Level 3 Emulation (Optional)	CAPT
<b>Interface</b>	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000BASE-T	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000BASE-T	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX	USB 2.0 Hi-Speed
<b>Duty Cycle</b>	5,000 pages	8,000 pages	25,000 pages	50,000 pages	50,000 pages	100,000 pages	15,000 pages
<b>EnergyStar TEC rating (Typical Electricity Consumption - kWh/week)</b>	0.5	0.7	2.0	1.3	1.3	2.0	0.5

						
Canon i-SENSYS LBP7018C	Canon i-SENSYS LBP5050	Canon i-SENSYS LBP5050n	Canon i-SENSYS LBP7200Cdn	Canon i-SENSYS LBP7660Cdn	Canon i-SENSYS LBP7680Cx	Canon i-SENSYS LBP7750Cdn
PRINT	PRINT	PRINT	PRINT	PRINT	PRINT	PRINT
-	-	-	 YES	YES	YES	YES
16 ppm (Mono) 4 ppm (Colour)	 12 ppm (Mono) 8 ppm (Colour)	12 ppm (Mono) 8 ppm (Colour)	 20 ppm (Mono) 20 ppm (Colour)	20 ppm (Mono) 20 ppm (Colour)	20 ppm (Mono) 20 ppm (Colour)	 30 ppm (Mono) 30 ppm (Colour)
13.6 secs (Mono) 24.7 secs (Colour)	22 secs (Mono) 28 secs (Colour)	22 secs (Mono) 28 secs (Colour)	 15 secs	16 secs	16 secs	 10.2 secs (Mono) 10.4 secs (Colour)
2400 x 600 dpi	 9600 x 600 dpi	9600 x 600 dpi	9600 x 600 dpi	9600 x 600 dpi	9600 x 600 dpi	9600 x 600 dpi
150-sheets	150-sheets	150-sheets	 250-sheets	250-sheets	250-sheets	250-sheets
No	 1-sheet	1-sheet	 50-sheets	50-sheets	50-sheets	 100-sheets
No	No	No	 250-sheets	250-sheets	250-sheets	 500-sheets
150-sheets	 151-sheets	151-sheets	 550-sheets	550 sheets	550-sheets	 850-sheets
CAPT	CAPT	CAPT	CAPT	 UFR II, PCL5c, PCL6, Adobe PostScript (Optional)	 UFR II, PCL5c, PCL6, PostScript	PCL5c/PCL6/UFR II/ PostScript Level 3 Emulation
USB 2.0 Hi-Speed	USB 2.0 Hi-Speed	 USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX	USB 2.0 High-Speed, 10BASE-T/100BASE-TX	 USB 2.0 High-Speed, 10BASE-T/100BASE-TX/ 1000BASE-T	USB 2.0 High-Speed, 10BASE-T/100BASE-TX/ 1000BASE-T	 USB2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless LAN IEEE802.11b/g (Optional)
15,000 pages	 25,000 pages	25,000 pages	 40,000 pages	 60,000 pages	60,000 pages	 75,000 pages
0.5	1.6	1.6	2.2	0.9	0.9	4.9

# Faxing

Faxing is a simple and fast way to send your paper documents. With super G3 FAX modems, users will not waste time waiting, transmission costs are lower and multiple faxes can be received without blocking the line. Ultra high quality imaging ensures exceptional quality when sending images and graphics by fax, cost monitoring is also possible so you can track fax usage across departments and prevent unauthorised usage.

## FAX-L150 and FAX-L170

### Key Features:

- Super G3 fax modem (33.6 kbps) – 3 sec. per page transmission
- Ultra high quality 256 greyscale imaging for faxing fine details
- 512-page transmit and receive fax memory
- 30\* one-touch and 100 coded speed dials
- Easy to use All-in-One cartridge, ensures continuous high quality output
- 150-sheet paper capacity
- 30-page Automatic Document Feeder
- Energy efficient – only 1.5 watts in sleep mode
- Printing: 18 pages per minute with Quick First Print performance
- Built in Handset\*\*

\* FAX-L170 only. FAX-L150 has 15 one-touch dials

\*\* FAX-L170 only. FAX-L150 optional



i-SENSYS FAX-L170

## FAX-L380s and FAX-L390

### Key Features:

- Super G3 plain paper laser fax – 3 sec. per page transmission
- 510-page fax memory
- 18 ppm laser printer: 600 dpi print quality
- 50-page Automatic Document Feeder
- 500-sheet paper capacity\*
- Departmental ID Management: control your costs and ensure security by restricting fax use to authorised personnel
- Speed dialing: 31 one touch/169 coded dial keys
- Ultra high quality imaging with 256 grey scales for faxing photos and diagrams with maximum detail
- All-in-One cartridge

\* FAX-L390 only, FAX-L380s has 250-sheet paper capacity



i-SENSYS FAX-L390

## FAX-L3000 and FAX-L3000IP

### Key Features:

- Super G3 fax modem for ultra fast transmission
- 22 cpm/ppm copying/printing (A4)
- 50-page Duplex Automatic Document Feeder
- Built-in networking with RUI and PCL 5e/6 support\*
- Heavy duty design with 1,100-sheet max. paper capacity including 500-sheet optional cassette
- 1500 page memory, 3 hour memory back-up
- 80 Speed dials, 200 coded dials
- Optional SEND functionality (scan to email/server/i-fax)

\* FAX-L3000IP only



i-SENSYS FAX-L3000IP

For more information, please visit [www.canon-europe.com](http://www.canon-europe.com)

# Easy Service Plan

Canon Easy Service Plans for i-SENSYS Laser printers, multifunctionals and faxes.

When you buy an Easy Service Plan, you are assured premium-quality support and protection for your Canon equipment. We offer a choice of services in a range of preconfigured Easy Service Plan packs.

## **Packed with Quality**

Delivered only by Canon, or our accredited service-only partners, our Easy Service Plan offers the excellence and customer focus you would expect from a globally-renowned brand.

## **Easy Service Plan Options**

### **Installation Service**

Get up and running quickly and trouble-free. Plans include network connection and loading of all appropriate software for the device.

### **Return-to-base Service**

A comprehensive service package that offers complete peace of mind. Should a problem arise, the device will be repaired for you at no cost at an authorised Canon service centre. Includes one free maintenance service in the second year of the plan, plus access to Canon's support desk.

### **On-site Next Day Service**

The ideal way to minimise business disruption. In the event of a fault, customers can call the Canon support desk. If the issue can't be resolved over the phone, or remotely, a qualified service engineer will be dispatched on-site by the next business day.

For more details on individual service plans, please visit [www.canon-europe.com](http://www.canon-europe.com)

# Cartridge Compatibility Chart

## Multifunctionals

Authentic LASER CARTRIDGES FOR <i>i-SENSYS</i>		CARTRIDGE
PRODUCT		
		711 BK 1660B002 Yield: 6,000
		711 Y 1657B002 M 1658B002 C 1659B002 Yield: 6,000
		716 BK 1980B002 Yield: 2,300 (ISO 19798)
		716 Y 1977B002 M 1978B002 C 1979B002 Yield: 1,500 (ISO 19798)
		718 BK 2662B002 Yield: 3,400 (ISO 19798)
		718 BK VP 2662B005 Yield: 6,800 (ISO 19798)
		718 Y 2659B002 M 2660B002 C 2661B002 Yield: 2,900 (ISO 19798)
		719 3479B002 Yield: 2,100 (ISO 19752)
		719 H 3480B002 Yield: 6,400 (ISO 19752)
		725 3484B002 Yield: 1,600 (ISO 19752)
		728 3500B002 Yield: 2,100 (ISO 19752)
MULTIFUNCTIONALS		
i-SENSYS MF3010		
i-SENSYS MF4410, i-SENSYS MF4430, i-SENSYS MF4450, i-SENSYS MF4550d, i-SENSYS MF4570dn, i-SENSYS MF4580dn		
i-SENSYS MF5940dn, i-SENSYS MF5980dw		
i-SENSYS MF8040Cn, i-SENSYS MF8080Cw		
i-SENSYS MF8340Cdn, i-SENSYS MF8360Cdn, i-SENSYS MF8380Cdw		
i-SENSYS MF9220Cdn, i-SENSYS MF9280Cdn		

## Laser Printers

Authentic LASER CARTRIDGES FOR <i>i-SENSYS</i>		CARTRIDGE
PRODUCT		
		716 BK 1980B002 Yield: 2,300 (ISO 19798)
		716 Y 1977B002 M 1978B002 C 1979B002 Yield: 1,500 (ISO 19798)
		718 BK 2662B002 Yield: 3,400 (ISO 19798)
		718 BK VP 2662B005 Yield: 6,800 (ISO 19798)
		718 Y 2659B002 M 2660B002 C 2661B002 Yield: 2,900 (ISO 19798)
		719 3479B002 Yield: 2,100 (ISO 19752)
		719 H 3480B002 Yield: 6,400 (ISO 19752)
		723 BK 2644B002 Yield: 5,000 (ISO 19798)
		723H BK 2644B002 Yield: 10,000 (ISO 19798)
		723 Y 2641B002 M 2642B002 C 2643B002 Yield: 6,500 (ISO 19798)
		724 3481B002 Yield: 6,000 (ISO 19752)
		724 H 3482B002 Yield: 12,500 (ISO 19752)
		725 3484B002 Yield: 1,600 (ISO 19752)
		726 3483B002 Yield: 2,100 (ISO 19752)
		729 BK 4370B002 Yield: 1,200 (ISO 19798)
		729 Y 4367B002 M 4368B002 C 4369B002 Yield: 1,000 (ISO 19798)
		029 Drum 4371B002 Yield: 7,000 (C) 14,000 (M)
LASER PRINTERS		
i-SENSYS LBP6000, i-SENSYS LBP6000B		
i-SENSYS LBP6200d		
i-SENSYS LBP6300dn, i-SENSYS LBP6650dn, i-SENSYS LBP6670dn, i-SENSYS LBP6680x		
i-SENSYS LBP6750dn		
i-SENSYS LBP7010C, i-SENSYS LBP7018C		
i-SENSYS LBP5050, i-SENSYS LBP5050n		
i-SENSYS LBP7200Cdn, i-SENSYS LBP7660Cdn, i-SENSYS LBP7680Cx		
i-SENSYS LBP7750Cdn		

NEW

## Fax and Personal Copiers

Authentic LASER CARTRIDGES FOR <i>i-SENSYS</i>		CARTRIDGE
PRODUCT		
		T 7033A002 Yield: 3,500
		714 1153B002 Yield: 4,500
		728 3500B002 Yield: 2,100 (ISO 19752)
		E16 1492A003 Yield: 2,000
		E30 1491A003 Yield: 4,000
		FX10 0263B002 Yield: 2,000
FAX		
i-SENSYS FAX-L140, i-SENSYS FAX-L160		
i-SENSYS FAX-L150, i-SENSYS FAX-L170		
i-SENSYS FAX-L380S, i-SENSYS FAX-L390		
i-SENSYS FAX-L3000, i-SENSYS FAX-L3000IP		
PERSONAL COPIERS		
FC100, FC108, FC120, FC128		
PC-D440, PC-D450		

NEW

# Canon

Canon Inc  
canon.com

Canon Europe  
canon-europe.com

English Edition  
© Canon Europa N.V.,  
2012

Canon Europe Ltd  
3 The Square  
Stockley Park  
Uxbridge  
Middlesex  
UB11 1ET  
United Kingdom

The UEFA EURO 2012™ official logo is protected by trademarks, copyright and/or design. All rights reserved.