# ADVANCED MULTIFUNCTION MONO PRINTER CREATED SPECIFICALLY FOR SMALL AND HOME OFFICES

High-quality multifunction mono printer series packed with innovative features and optimised for small and home offices. The MF260 series comes with highly efficient new print technology along with advanced scanning options.







MF264dw

MF267dw

MF269dw

The MF260 series is a set of multifunction printers designed for home offices which boast the specifications of devices found at enterprise level.

- Compact design optimised for small or home offices where space is at a premium
- Ultra-fast print speeds of up to 28 pages per minute including double-sided printing. Features a first print out time of less than 6 seconds
- Includes Canon's most advanced Genuine Cartridge, with a replacement cartridge that can deliver up to 4,100 pages before requiring replacement
- MS (Magnetic Sphere) Toner enables faster printing and reduces energy consumption
- Easy to use with a 5-line panel control that enables remote monitoring of toner levels (6-line touch screen for MF267dw & MF269dw)
- Features AirPrint support to enable simple printing from a range of Apple devices
- High Compression PDF scans text/photos in high quality while keeping the file size small
- Digitises paper documents via tablets and smartphones Via the Canon PRINT Business app
- Advanced scanning editing facilities including the option of scanning to the cloud
- The MF260 series is compatible with the Canon PRINT Business app which includes intelligent whiteboard mode that automatically corrects images from the camera

# TOP FEATURES



LCD Touch Panel (MF267dw & MF269dw) Simple interface



Connectivity Wireless direct connection



28 pages per minute Fast print speed



Ethernet connectivity
Easily connect to a network



Double sided printing Save paper



Network scanning User friendly network scanning



# **TECHNICAL SPECIFICATIONS**

### i-SENSYS MF264dw / MF267dw / MF269dw

Machine type Available functions Mono Laser All-In-One

MF264dw: Print, Copy and Scan MF267dw/MF269dw: Print, Copy, Scan and Fax

PRINTER

Single sided: Up to 28 ppm (A4) Double sided: Up to 17.8 ipm (A4) Print speed Printing method Monochrome laser beam printing

Print quality Up to 1200 x 1200 dpi Print resolution 600 x 600 dpi

Warm-up time Approx. 15 seconds or less from power on First Print Out Time Approx: 5.2 seconds or less

Printer languages UFRII-LT, PCL 5e1, PCL6

Fonts 45 PCL fonts

Print margins 5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)

Toner saver mode Yes

Advanced printing features

Google Cloud Print Ready iOs: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

Single sided: Up to 28 ppm (A4) Double sided: Up to 17.8 ipm (A4)

Approx. 8.2 seconds or less

COPIER

First Copy Output Time (FCOT)

Copy resolution

Up to 600 x 600 dpi

Copy modes Text/Photo, Text/Photo (High speed), Photo, Text

MF264dw/MF267dw: 1-sided to 2-sided (Automatic) MF269dw: Double sided copying

2-sided to 2-sided (Automatic) Multiple copy Up to 999 copies

Reduction / Enlargement 25-400% in 1% increments

Collate Copies, 2 on 1, 4 on 1, ID card copy Other features

SCANNER

Colour Type

Scan resolution Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi

Enhanced: Up to 9600 x 9600 dpi
MF264dw/MF267dw:
Single sided mono: 20ipm (300x600dpi)
Single sided colour: 15ipm (300x600dpi)
MF269dw:
Single sided mono: 22ipm (300x600dpi)
Disple sided colour: 15ipm (300x600dpi)
Double sided mono: 8ipm (300x600dpi)
Double sided colour: 5ipm (300x600dpi)
Double sided colour: 5ipm (300x600dpi)

Colour scanning depth 24 bit/24 bit (input/output) Grevscales 256 levels

Compatibility TWAIN, WIA, ICA 215.9mm Max. scan width

Scan to E-mail MF267dw/MF269dw only: TIFF/JPEG/PDF/Compact PDF

TIFF/JPEG/PDF/Compact PDF/Searchable PDF<sup>2</sup> Scan to PC

TIFF/JPEG/PDF/PNG3

Scan to USB memory key

Scan to FTP Scan to Cloud

iFAX

MF267dw/MF269dw only

Modem speed 33.6 Kbps (Up to 3 seconds/page<sup>4</sup>) Fax only, Fax/Tel Auto Switch, Answer Mode, Manual, DRPD: Select Fax RECEIVE MODE

Fax resolution

Normal: 200 x 100 dpi Fine: 200 x 200 dpi Super fine: 200 x 400 dpi

Unito 256 pages<sup>4</sup> FAX memory Speed dials Up to 104dials

Group dials/destinations Sequential broadcast Memory backup

Double sided faxing Other features

MEDIA HANDI ING Scanner type

Paper input (Standard)

Paper input (Option) Paper output

Media types Media sizes

Media weights

Double sided printing

Interface & Software Interface type

Operating System compatibility

Network Protocol

Software and printer management

Max. 104 dials / Max. 50 destinations in one group

Max. 114 destinations

Permanent fax memory backup (Backup with flash

Yes (Transmit and Receive)

Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports

MF264dw/MF267dw: Flatbed and Automatic Document

MF264GW/MF267dW: Flatbed and Automatic Document Feeder (ADF) MF269dw: Flatbed and Duplex Automatic Document Feeder (DADF)

250-sheet cassette 1-sheet multi-purpose tray

MF264dw/MF267dw: 35-sheet ADF MF269dw: 50-sheet DADF

Plain paper, Recycled paper, Heavy Paper, Bond Paper, Label, Envelope

Cassette:
A4, A5, A5(Landscape), B5, A6, Legal, Letter, Executive,
Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR,
GLGL, Foolscap, 16K, Envelop (COM10, DL, C5), Custom
sizes: Min. 76.2 x 127 mm Max. 215.9 x 355.6 mm

Multi-purpose tray:
A4, A5, A5(Landscape), B5, A6, Legal, Letter, Executive,
Statement, OFFICIO, B-OFFICIO, M-OFFICIO,
GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope
(COM10, Monarch, DL, C5), Custom sizes: Min 76.2 x 127
mm Max. 215.9 x 355.6 mm

MF264dw/MF267dw: A4, A5, B5, B6, Legal, Letter, Custom sizes (W x L): Min. 105 x 148 mm Max 216 x 356 mm

MF269dw: A4, A5, B5, B6, Legal, Letter, Custom sizes (W x L): Min. 127 x 140 mm Max 216 x 356 mm

Cassette: 60 to 163 g/m² Multi-purpose tray: 60 to 163 g/m²

Multi-purpose tray: 60 ADF: MF264dw/MF267dw: 50 to 105 g/m² MF269dw: Single 50 to 105 g/m² Duplex 60 to 105 g/m²

Automatic A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO, Foolscap

60 to 105 g/m<sup>2</sup>

USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection

Windows\* 10 / Windows\* 8.1 / Windows\* 7 / Server\* 2016 / Server\* 2012R2 / Server\* 2012 / Server\* 2008R2 / Server\* 2008 / Mac OS X version 10.8.5 & up / Mac OS 10.13 & up

LPD, RAW, WSD-Print (IPv4,IPv6), IPP, IPPS

Scan: Email, SMB, WSD-Scan(IPv4, IPv6) TCP/IP Application Services: Bonjour(mDNS), DHCP, Auto IP (IPv4) DHCPv6 (IPv6), BOOTP, RARP

Management: SNMPv1, SNMPv3 (IPv4,IPv6) HTTP, HTTPS, SNTP Security (Wired): IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS/IPPS),

(HTTPS/IPPS), Security (wireless): WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(AES)

MF Scan Utility, Remote User Interface (RUI), Toner Status Tool,

Canon

# **TECHNICAL SPECIFICATIONS**

## i-SENSYS MF264dw / MF267dw / MF269dw

GENERAL FEATURES

Recommended Monthly Print Volume

Duty cycle Processor Speed Memory Control panel

"Dimensions with trays (W x D x H)" "Installation space (W x D x H)"

Weight

Operating environment

Power Source **Power Consumption** 

Noise Levels

250 - 2,500 pages per month

Max. 30,000 pages per month <sup>6</sup> 400MHz

256MB MF264dw: 5 lines B&W LCD MF267dw/MF269dw: 6-line LCD B&W Touch Screen 390 mm x 405 mm x 375 mm

MF264dw/MF267dw: 435 mm x 620 mm x 645 mm MF269dw: 429 mm x 620 mm x 670 mm MF264dw/MF267dw: Approx. 12.9 Kg MF269dw: Approx. 13.8 Kg

Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation) 220-240V(±10%) 50/60Hz (±2Hz)

220-240V(±10%) 50/60Hz (±2Hz)

Maximum: Approx. 1180 W

Standby: Approx. 5.7 W

Sleep mode: Approx. 0.8 W

Power switch off: 0.5W or less

Typical Electricity Consumption (TEC): 0.8 kWh/week

Idle time required to enter sleep mode: 1-30 min (default:

1 min)

Idle time required to enter Auto Shutdown: 4 hours

(default)

http://www.canon-europe.com/For\_Work/Lot26/index.aspx Sound Pressure7:

ACTIVE: MF264dw/MF267dw: 51 dB in B/W printing MF269dw: 50 dB in B/W printing Standby: Inaudible

Sound Power 7 Active: 70.7 dB or less in B/W printing Standby: N/A

CONSUMABLES

Cartridge 051 (1,700 pages <sup>8</sup>)<sup>9</sup> Cartridge 051H (4,100 pages<sup>8</sup>)<sup>9</sup> Drum Cartridge 051 (23,000 pages<sup>8</sup>)<sup>9</sup> Cartridges

ACCESSORIES/ OPTIONS

Items

MF267dw/MF269dw only TEL 6 KIT (Telephone handset)

**Notes:**<sup>(1)</sup>A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.

[2]Scan by MF Scan Utility

[3]Scan by MF Scan Utility or Canon PRINT Business app

[4]Based on ITU-T Standard Chart No. 1

<sup>[5]</sup>Linux support both printing and scanning Available from December 2018.

<sup>(6)</sup>Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product

 $^{[7]}$ Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779

[8]Based on ISO/IEC 19752

<sup>[9]</sup>Printer ships with Cartridge 051 (1,700 pages), Drum Cartridge 051 (23,000 pages)

Canon Inc. canon.com

Canon Europe

canon-europe.com English edition © Canon Europa N.V.,2018



### ADVANCED MULTIFUNCTION MONO PRINTER CREATED SPECIFICALLY FOR SMALL AND HOME OFFICES

# i-SENSYS MF264dw / MF267dw / MF269dw

High-quality multifunction mono printer series packed with innovative features and optimised for small and home offices. The MF260 series comes with highly efficient new print technology along with advanced scanning options.

Sales Start Date: October 2018



### PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF269dw	2925C001AA	4549292114409
i-SENSYS MF267dw	2925C008AA	4549292114461
i-SENSYS MF264dw	2925C016AA	4549292114539

### CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 051	2168C002AA	4549292105094
Cartridge 051H	2169C002AA	4549292088885
Drum Cartridge 051	2170C001AA	4549292088861

### ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
Telephone 6 Kit EU (CW)	0752A065AA	4960999537214
Telephone 6 Kit UK (CW)	0752A063AA	4960999453897
Telephone 6 Kit SA (CW)	0752A064AA	4960999453927

Canon