HP LaserJet 4250/4350







Achieve much more with this reliable, user-friendly black-and-white LaserJet Printer series which delivers outstanding performance, fast print and first page out speeds, and a host of expandable features and accessories to meet a workgroup's needs.


For business users in workgroups of 10 – 20 people in enterprise, large, medium and small organisations, the HP LaserJet 4250/4350 Printer series offers the means to increase productivity and meet performance demands, with a fast, reliable, expandable and easy-to-use solution.

Increase workgroup productivity with fast printing and processing and consistently high performance.

- · Accomplish more with print speeds up to 43 ppm with the HP LaserJet 4250 Printer series and up to 52 ppm with the HP LaserJet 4350 Printer series.
- · No time is lost waiting for the printer to warm up as the instant-on technology ensures the first page prints out in under
- · Be more efficient as a powerful 460 MHz processor lets you print complex documents with a quicker return to the application.
- Create consistent, professional quality output of true 1200 dpi at full speed in best mode.
- Enjoy assured performance with a reliable 200,000 pages per month duty cycle with the HP LaserJet 4250 Printer series and 250,000 pages with the HP LaserJet 4350 Printer series.



- A simple, four-line graphical display panel gives you full control of the printer's features.
- Save time and money with HP Web Jetadmin which allows easy network installation¹, remote diagnostics and error correction.
- · Remotely configure device settings and email alerts using the Embedded Web Server which gives easy access via a standard web browser.
- · Maximise output with a 10,000 and 20,000 page-yield toner cartridge and easily monitor levels of consumables with HP's Smart Printing Technology².



- Easily upgrade the standard memory of 48 MB to 512 MB with the HP LaserJet 4250 Printer series and 64 MB to 512 MB with the HP LaserJet 4350 Printer series.
- Share fast, reliable printing with an HP Jetdirect 620n Embedded Print Server for Fast Ethernet 10/100Base-TX¹.
- Enjoy flexible connectivity via 2 EIO slots and CompactFlash solutions for most network environments.
- Increase the printer's input capacity to a maximum of 3,100 sheets with additional trays.
- Be more efficient with an optional duplex unit³ for double-sided printing, an envelope feeder and a 500-sheet stapler/stacker⁴.



HP LaserJet 4350tn/dtn

HP LaserJet 4250tn/dtn and

HP LaserJet 4250/n and HP LaserJet 4350/n



HP LaserJet 4250dtnsl and HP LaserJet 4350dtnsl



¹Embedded networking is available on the n, tn, dtn, and dtnsl models only.

²Using genuine HP supplies ensures availability of all HP printing features.

³Standard with dtn/dtnsl

⁴Standard with dtnsl

Boost your workgroup's productivity with exceptional performance

HP technologies – solutions you can rely on

Fast results with HP's Instant-on Technology Our unique, instant-on technology delivers an industry-leading first page out time of less than 8 secs on both the HP LaserJet 4250 and HP LaserJet 4350, from cold or warm start. No warm-up time is needed, and the printer immediately returns to power-save mode without consuming energy, which saves you money. It also has a very low noise level, so you won't get disturbed by your printer.

Outstanding print quality with HP Smart Printing Technology¹

Smart features enhance print quality, facilitate cartridge installation and supplies management:

- Dynamic electrophotographic adjustments and the "no-shake" feature ensure consistent print quality throughout the lifetime of the cartridge
- Supplies status monitoring and proactive email alerts when supplies are low ensure maximum printer uptime and minimum user intervention
- Print job assessment and cartridge usage data tracking enables better cost control
- ¹ Using genuine HP supplies ensures availability of all HP printing features

HP's All-in-One Print Cartridge

- The print cartridge is designed as a closed unit containing toner, the drum and the developer unit, so there is only one item to replace. When the print cartridge is exchanged, all components that are critical for the imaging process are also exchanged, ensuring optimum print quality over the life of the printer.
- Fitting an HP print cartridge is extremely simple and requires no technical expertise.
- Magnetic seals prevent toner leakage, keeping the printer and the paper clean.

Print cartridges with charge rollers for a safer environment

HP's charging roller technology uses a roller, which is in direct contact with the imaging drum, and no corona wire. The direct transmission of electrical charges to the drum generates virtually no ozone emissions. And no wire means no manual cleaning, saving you time and money.

Management tools to meet your workgroups' needs

Enjoy easier control

The HP LaserJet 4250 and 4350 series incorporate advanced hardware and software features to make device management scalable – from a critical, single device to a complete network of connected peripherals.

- The HP Embedded Web Server provides direct access to the HP LaserJet 4250 and 4350 series on the network and allows full control to configure device settings and e-mail alerts remotely, monitor status, and diagnose device problems
- HP Web Jetadmin enables remote driver installation, configuration, diagnostics and proactive management for all your network peripherals from a standard web browser.
- Device problems can be resolved quickly with direct access to targeted self-help information via the web.

Series at a glance

HP LaserJet 4250 Printer: Q5400A

- Up to 43 ppm
- 48 MB RAM (max 512 MB)
- 1200 x 1200 dpi
- PCL 6, PCL 5e, PSIII
- 100-sheet multipurpose tray, 500-sheet input tray
- EMS, EVM
- High capacity print cartridge, up to 10,000 page yield²

HP LaserJet 4250n Printer: Q5401A

Same as HP LaserJet 4250 plus:

- Addtional 16 MB RAM (64 MB)
- HP Jetdirect 620n Fast Ethernet EIO Internal Print sever

HP LaserJet 4250tn Printer: Q5402A

Same as HP LaserJet 4250n plus:

• 500-sheet input tray

HP LaserJet 4250dtn Printer: Q5403A

Same as HP LaserJet 4250tn

- Addtional 16 MB RAM (80 MB)
- Automatic duplex unit

HP LaserJet 4250dtnsl Printer: Q5404A

Same as HP LaserJet 4250dtn plus:

 Stapler/stacker unit with additional 500-sheet output capacity

² Also available up to 20,000 page yield (Q5942X)

Series differences

	HP LaserJet 4250 Printer series	HP LaserJet 4350 Printer series	Benefits of the HP LaserJet 4350 Printer series
Workgroup size	10 – 15 users	15 – 20 users	Built to meet the advanced performance demands of workgroups with high printing needs
Speed, A4	43 ppm	52 ppm	Improve your productivity with very fast printing speed, ideal for a large workgroup's high-volume network printing needs
Memory	48 MB RAM (64 MB RAM in n/tn, 80 MB RAM in dtn/dtnsl)	64 MB RAM (80 MB RAM in n/tn, 96 MB RAM in dtn/dtnsl)	Achieve a new higher performance standard and greater productivity with large in-built memory and faster printing of complex documents
Monthly duty cycle	200,000 monthly duty cycle	250,000 monthly duty cycle	Large duty cycle and highly reliable engine enable you to print large volumes every day

HP LaserJet 4250/4350 Printer series accessories



Automatic duplex unit Q2439B



500-sheet paper tray and feeder q2440B



75-sheet envelope feeder Q2438B



Stacker Q2442B



Stapler/stacker q2443B



1500-sheet high capacity tray Q2444B



Printer stand and storage cabinet Q2445B



Adds up to 4100 sheets (8 x 500-sheet paper tray + 1 x 100-sheet multipurpose tray).

For more information go to:

www.hp.com/eur/gsc

HP Global Solutions Catalogue

HP's accessible architecture enables the creation, delivery and integration of a wide range of business printing solutions, developed by our global network of HP Global Solutions partners. Products can be mixed, matched and customised to give you the hardcopy solution you require.

Solutions include:

- E-forms and stationery
- Corporate design
- Barcodes and cheque printing (OCR and MICR)
- Printing from SAP R/3 and ERP packages
- Secure printing using smart cards
- Host printing
- Cost-controlled printing and copying
- Pint job accounting and special industry solutions.

Go to www.hp.com/eur/gsc for more information

HP LaserJet 4350 Printer: Q5406A

- Up to 52 ppm
- 64 MB RAM (max 512 MB)
- 1200 x 1200 dpi
- PCL 6, PCL 5e, PSIII
- 100-sheet multipurpose tray, 500-sheet input tray
- EMS, EVN
- High capacity print cartridge, up to 10,000 page yield³

HP LaserJet 4350n Printer: Q5407A

Same as HP LaserJet 4350 plus:

- Additional 16 MB RAM (80 MB)
- HP Jetdirect 620n Fast Ethernet EIO Internal Print Server

HP LaserJet 4350tn Printer: Q5408A

Same as HP LaserJet 4350n plus:

• 500-sheet input tray

HP LaserJet 4350dtn Printer: Q5409A

Q3409A

Same as HP LaserJet 4350tn plus:

- Additional 16 MB RAM (96 MB)
- Automatic duplex unit

HP LaserJet 4350dtnsl Printer: Q5410A

Same as HP LaserJet 4350dtn plus:

 Stapler/stacker unit with additional 500-sheet output capacity

³ Also available up to 20,000 page yield (Q5942X)

n Annual College						
Print technology	Monochrome I			. (050 D		HP LaserJet 4250 Printer serie
Print speed			Jp to 43 ppm; HP LaserJe	et 4350 Printer series: A4: Up to 52 ppm	Q5400A	HP LaserJet 4250 Printe
	First page out: Less than 8 sec Exact speed varies depending on the system configuration, software program, and document complexity.			Q5401A	HP LaserJet 4250n Printe	
Processor	460 MHz, 20KC MIPS Microprocessor				Q5402A	HP LaserJet 4250tn Printe
Memory				:: 64 MB; HP LaserJet 4250dtn/dtnsl Printer: 80 MB	Q5403A	HP LaserJet 4250dtn Printe
	HP LaserJet 4350 Printer: 64 MB; HP LaserJet 4350n/tn Printer: 80 MB; HP LaserJet 4350dtn/dtnsl Printer: 96 MB Expandable to 512 MB through 2 industry-standard DIMM slots using Double Data Rate memory technology Optional: 20 GB HP high-performance EIO hard disk			Q5404A	HP LaserJet 4250dtnsl Printe	
- II-				_	HP LaserJet 4350 Printer series	
Print quality			200), HP Fastres 1200		Q5406A	HP LaserJet 4350 Printe
Printer languages			evel 3 Emulation, PDF 1.3		Q5407A	HP LaserJet 4350n Printe
Economical printing	Return to powersave mode after print job due to instant-on technology (saving energy, and reducing costs), duplex and N-up			Q5408A	HP LaserJet 4350tn Printe	
- , ,,	printing more than one page on a single sheet (saves paper)			Q5409A	HP LaserJet 4350dtn Printe	
Typefaces/fonts	80 HP Font set (plus Greek, Hebrew, Cyrillic, Arabic)			Q5410A	HP LaserJet 4350dtnsl Printe	
Duty cycle	HP LaserJet 42	50 Printer series: Up to	200,000 pages per mor	th, HP LaserJet 4350 Printer series: Up to 250,000 pages per month	_	
Print margins	Top: 5 mm, left: 5 mm, right: 5 mm, bottom: 5 mm					Accessorie
Media handling	Input	Capacity	Weight	Size	Q2438B	HP 75-sheet Envelope Feede
	Tray 1	Sheets: 100	60 to 200 g/m ²	A4, A5, B5 (JIS), Executive (JIS), 16k (195 x 270 mm), envelopes (C5, DL, B5), 76 x 216 to 127 x 356 mm	Q2439B	HP Automatic Duplex Uni
	Tray 2	Sheets: 500	60 to 120 g/m ²	A4, Letter, Legal, Executive, B5, A5, and custom sizes	Q2440B	HP 500-sheet Paper Tray
	,		· ·	148 x 216 to 210 x 356 mm	Q2442B	HP Stacke
	Tray 3	Sheets: 500	60 to 120 g/m ²	Same media sizes as tray 2	Q2443B	HP Stapler/Stacke
	Tray 4 Duplex unit	Sheets: 1500	60 to 120 g/m²	A4, Letter, Legal A4, A5, Letter, Legal, Executive, B5	Q2444B	HP 1500-sheet High
	Output: Sheets:			n, 50 face up), dtnsl Printer: up to 800 (750 face down, 50 face up)		Capacity Tray
Paper handling		<u> </u>		dtnsl Printer: Automatic (standard) optional: 500-sheet or 1500-sheet tray (up to a maximum of 3,100	Q2445B	HP Printer Stand
raper nanamig	sheets), duplex	er, 500-sheet stacker, :	stapler/stacker (up to 15	pages stapler/up to 500-sheet stacker). tn: same as base/n, plus 1	(Supplie
				luplexer, 500-sheet stacker, stapler/stacker (up to 15 pages	Q5942A	HP Smart Print Cartridge
				er, optional 500-sheet or 1500-sheet tray, 500-sheet stacker, er). dtnsl: same as dtn, plus stapler/stacker (up to 15 pages	Q5942X	HP Smart Print Cartridge
Interface and connectivity	stapler/up to 5	000-sheet stacker), opti	onal: 500-sheet or 1500	O-sheet tray, 500-sheet stacker.	Q5421A	HP 110V Maintenance Ki (225,000 pages
interface and conflectivity	IEEE 1284-B compliant parallel port, 2 open EIO slots, Hi-Speed USB (compatible with USB 2.0 specifications) port Optional: HP Jetdirect 620n Fast Ethernet EIO Internal Print Servers, HP Jetdirect External Print Servers, HP Jetdirect EIO Connectivity Card for USB/serial/LocalTalk, HP b11300 Bluetooth Wireless Print Adapter, HP b11300 Bluetooth Printer Adapter (for USB 1.1 or		Q5422A	HP 220V Maintenance Ki (225,000 pages		
	parallel), HP Jetdirect 680n 802.11b Wireless EIO Internal Print Server, HP Jetdirect 380x 802.11b External Wireless Print Server (USB 1.1)			Q3216A	HP Stapler Cartridge (3 x 1000 units	
Operating systems compatibility) (parallel and network c	onnections only), 2000, XP, Server 2003; Apple Mac OS 9.x and	110	0,000 standard pages in accordance
	later, OS X 10.1 or later Optional: OS/2, UNIX, Linux*, HP OpenVMS Most recent printer drivers and software for all supported operating systems available at http://www.hp.com/support/lj4250 or http://www.hp.com/support/lj4350; if no access to the Internet, see support flyer that came in printer box				with ISO/IEC 19752 ² 20,000 standard pages in accordance with ISO/IEC 19752	
Network operating systems compatibility			•	erver 2003; Novell [™] NetWare 3.2, 4.2, 5.x, 6.x; Apple Mac OS 8.	<u>-</u>	Memory
recinon operaning systems companioniny	and later; Red Hat Linux* 6.x and later; SuSE Linux 6.x and later; HP-UX 10.20, 11.x; Solaris* 2.5x, 2.6, 7, 8, 9, 10 (SPARC systems only); IBM* AIX 3.2.5 and later; MP-IX Optional: Microsoft* Windows NT* 4.0, 2000, XP, Server 2003; Apple Mac OS 9.x, OS X				Q7715A Q7718A	64 MB 100 pin DDRAM DIMM 128 MB 100 pin DDRAM DIMM
Minimum system requirements					256 MB 100 pin DDRAM DIMA	
<i>,</i> ,				J6073A	512 MB 100 pin DDRAM DIMM 20 GB EIO hard disl	
Standard software	Print drivers and installation software on CD-ROM (HP PCL 6, HP PCL 5e, PS, PPDs, HP LaserJet Utility, HP LaserJet Toolbox,				Connectivity (selection	
Sidiladia Sollwale	Macintosh software); and installation software (link to HP Web Jetadmin software, for simple installation, configuration and management from a common web browser).		J7961A	HP Jetdirect 635n IPv6/IPsec Print Serve		
Control panel	Intuitive operation and easy to understand messaging, expanded control panel for context-based problem resolution,				HP Jetdirect 620n Fast Etherne nternal Print Server (10/100tx	
	4 x 20 graphical display with help features. Messages can be displayed in 20 languages.			HP Jetdirect 625n Gigabit EIC		
Power requirements		nput voltage 220 to 240 VAC (± 10%), 50/60 Hz (± 3 Hz); 100 to 127 VAC (± 10%), 50/60 Hz (± 3 Hz).			Print Server (10/100/1000tx	
Power consumption				HP LaserJet 4350 Printer series: 790 watts maximum (printing); by mode); 13 watts maximum (powersave), 0.3 watts maximum (off).	J7951A Ethern	HP Jetdirect ew2400 Fas et External Wired and Wireles:
Dimensions (w x d x h) (out of package/packaged)	Base/n Printer dtn Printer: 41	: 418 x 451 x 377 mm 8 x 533 x 498 mm/72	n/600 x 500 x 540 mm; 20 x 600 x 557 mm; dtns	tn Printer: 418 x 451 x 498 mm//720 x 600 x 557 mm, Printer: 418 x 533 x 740 mm/752 x 628 x 1033 mm	J6072A	802.11g Print Serve HP bt1300 Bluetooth prin
Weight (out of package/packaged)	Base/n Printer	: 22.7 kg/27 kg; tn Pri	nter: 29.7 kg/35 kg; dtn	Printer: 32.2 kg/37.5 kg; dtnsl Printer: 36.7 kg/49.6 kg		adapter (USB 1.0 or paralle
Printer management	HP Web Jetad	min, HP LaserJet Utility,	HP Embedded Web Ser	ver, HP LaserJet Toolbox		port interfaces
Operating environment				recommended operating temperature: 10 to 32° C,	_	
	operating hum storage humidi 4.0 B(A) (powe sound pressure dB(A) (printing	idity: 10 to 80% RH, r ty: 10 to 90% RH, Noi ersave), HP LaserJet 43: :: LpAm: HP LaserJet 42), 30 dB(A) (standby),	ecommended operating I se level per ISO 9296, sc 50 Printer series: 7.1 B(A) 250 Printer series: 62 dB(Bystander sound pressure	numidity: 10 to 80% RH, storage temperature: 0 to 35° C, und power: LwAd: HP LaserJet 4250 Printer series: 6.9 B(A) (printing) (printing), 3.8 B(A) (powersave), Operator position A) (printing), 30 dB(A) (standby); HP LaserJet 4350 Printer series: 64 (printing), 20 dB(A) (standby) (printing), 20 dB(A) (standby)	H5479A/ H4475A/	, , ,
Product certifications	Safety certifications: Argentina (TUV S Mark-Rs.92/98/Ds.1009/98), Australia (AS/NZ 3260), Canada (cUL-CAN/CSA C22.2 No.60950-00), China (GB4943), Czech Republic (CSN-IEC 60950-IEC 60825-1), Estonia (EEI-EN60950-IEC 60825-1), EU (CE Mark-Low Voltage Directive 73/23/EEC), Germany (TUV- EN60950-IEC 60825-1), Hungary (MEEI- IEC 60950-IEC 60825-1), Japan Radio Law, Lithuania (LS- IEC 60950-IEC 60825-1), Mexico (NOM NYCE-NOM 019 SCFI), Poland (B Mark-IEC 60950-IEC 60			UC742A/	E Installation HP LaserJet 4350 Printer series	
				U3469A/		
				U3470A/	, , ,	
	IEC60825-1), (Russia (GOST-R50377), Slovakia (IEC 60950-IEC60825-1), Slovenia (SQI- IEC 60950-EN60825-1), South Africa (IEC 60950-IEC60825-1), USA (UL-UL 60950; FDA-21 CFR Chapter 1 Subchapter J for lasers). Class 1 Laser/LED Product.			5547 SA/	3 years	
	EMC certifications: CISPR 22: 1997/EN 55022: 1998 Class B, EN 61000-3-2: 2000, EN 61000-3-3: 1995, EN 55024: 1998, FCC Title 47 CFR, Part 15 Class B/CES-003, Issue 4/GB9254-1998, GB17625.1-2003, EMC Directive 89/336/EEC and the Low Voltage Directive 73/23/EEC, and carries the CE-Marking accordingly				UC742A/	· · · · · · · · · · · · · · · · · · ·
	FCC Title 47 C	FR, Part 15 Class B/IC	ES-003, Issue 4/GB925	4-1998, GB17625.1-2003, EMC Directive 89/336/EEC and the Lo		L msiananoi

http://www.hp.com

For more information, please call your local HP sales office or representative: Albania: +49 89 9396 1803; Algeria: +213 (0) 61 68 23 00; Austria: +43 (0) 810 00 60 80; Bahrain: 800 171; Belgium: +32 (02) 729 71 11; Bulgaria: +359 2 960 19 40; Bosnia-Herzegovina: +49 89 9396 1803; Commonwealth of Independent States (CIS): +(095) 923 50 01; Croatia: +385 1 606 02 00; Czech Republia: +420 261 108 108; Denmark: +45 48 12 10 00; HP East Africa, Authorized Consultant: +254 20 27 16 111; Egypt: HP +202 792 5070; Estonia: +372 6 813 820; Finland: HP Myyntipalvelu 010 217 2700; France: +33 (0) 826 800 400; Germany: +49 (0) 180 532 62 22; Greece: +30 801 11 22 55 47; Hungary: +36 (1) 382 111; Izeland: +354 (1) 67 10 00; Ireland: +353 1 615 82 00; Israel: +972 9 830 48 48; Ifaly: Prodotfi +39 02 9212 2040; Kazalaktsan & Kryaryzstan: +737 75 20 75 00; Lifutania: +370 5 210 300; Luwembourg: (+952) 283 160 34; Macyrazstan: +352 163 60 34; Macyrazstan: +352 (10) 67 10 00; Lifutania: +370 5 210 300; Luwembourg: (+952) 280 160 34; Macyrazstan: +352 180 180 34; Macyrazstan: +352 180 180









