hizhuh 210 Specification

bizhub 210 Specif	ication	
Type:		Desktop
Reading Resolution:		600dpi
Writing Resolution:		600dpi
Memory Capacity:	Standard:	32MB
	Maximum:	96MB
Gradation:		256 Level
Original Type:		Sheet, Book, 3-D (Max. 3.0kg)
Max. Original Size:		A3
Copy Size:		A3 to A5
Image Loss:		Approx. 4 mm of image loss for each top/bottom/ right/left edges
Warm-Up Time:		15 sec. or less
First Copy Time:	Flatbed Scan:	7 sec. or less
17	ADF Scan:	11 sec. or less
	RADF Scan:	11 sec. or less
Copy Speed:	Copy Speed:	21 cpm and above *A4 Crosswise
Copy Magnification:	Fixed Ratio:	0.25/0.50/0.70/0.81/1.00/1.15/1.41/2.00/4.00
., 0	Zoom Ratio set by Up/Dov	vn key: 25% - 400% adjustable in 0.1 steps
Paper Tray:	Main Body:	Multi-Purpose Tray (250 sheets)
' '	Bypass Tray:	1 Sheet
	Option:	Paper Feed Unit PF-502 (250 sheets X 4)
	'	Multi Bypass Tray MB-501(100 sheets)
Paper Weight:	Main Body:	60-157g/m ²
	Bypass Tray:	60-157g/m ²
Continuous Copy No.:		1-99 Sheet
Power Source:		220-240V 5.5A 50/60Hz
Max. Power Consumption:	230V machine:	1,250w
Dimensions (W \times D \times H)mm:		599 × 620 × 487mm *To the face of original glass.
Weight (kg):	Basic:	Approx. 38kg
	Full Option:	Approx. 89kg
Floor Occupied Dimension:	Basic:	599 × 620 mm
(W × D)	Full Option:	998 × 665 mm
Other Functions:	Standard:	GDI Printer (with GDI Driver)
		Local Scan (with TWAIN Driver)
		Auto Zoom Setting / Auto Paper Selection
		Image Rotation
		Lengthwise / Crosswise Self-Magnification Change
		Book Interrupt (Book Original → Simplex Auto Copy)
		Filing (Image Shift, Erase, Book Erease)
		2-in-1, 4-in-1 Copy
		Electronic Sorting
		Energy Saving (Pre-heat / Auto Power Off)
		Program Registration: 2
		Electronic Counter for Print (Total, Size)
	1	Non-Stylised Size Registration: 1
	1	Interrupt Copy
		10 Key Account Management
	Option:	Crisscross Sort Copy
	Ι.	(With Paper Feed Unit PF-502,
	1	or Multi Bypass Tray MB-501attached)

GDI Image Controller (Standard)

T	Embedded Type	
Type:		
CPU:	TIS ASIC (Shared with the copier)	
Memory:	Standard: 32MB (Shared with the copier)	
,	Option: 64MB, 32MB (Shared with the copier)	
Print Speed:	21 sheets/min. (300dpi), 12 sheets/min. (600dpi) *A4 Crosswise	
Resolution:	600dpi × 600dpi, 300dpi × 300dpi	
Protocols:	Option: TCP/IP, IPX/SPX (With Network Interface Card NC-502 attached)	
Support OS:	Windows 98/Me/NT4.0/2000/XP/2003Server	
Interface:	Standard: USB1.1, Parallel port (IEEE1284)	
	Option: Ethernet 100Base-TX/10Base-T	
	(With Network Interface Card NC-502 attached)	

Image Controller IC-205

muse controller to 205		
Type:	Mount Type	
CPU:	Hitachi : SH3	
Memory:	Standard: 16MB	
	Option: 128MB, 64MB	
Print Speed:	21 sheets/min. (600dpi × 600dpi), 13 sheets/min. 1200dpi(equiv.) × 600dpi *A4 Crosswise	
Resolution:	600dpi × 600dpi, 1200dpi(equiv.) × 600dpi	
PDL:	PCL6/5e	
Fonts:	PCL English 53fonts	
Protocols:	Option: TCP/IP, IPX/SPX (With Network Interface Card NC-502 attached)	
Support OS:	Standard: Windows 98/Me/NT4.0/2000/XP/2003Server	
Interface:	Standard: USB1.1, Parallel port (IEEE1284)	
	Option: Ethernet 100Base-TX/10Base-T (With Network Interface Card NC-502 attached)	
Power Consumption:	DC24V_DC5V_Supplied by main body	

Local TWAIN Scanner (Standard)

Type:	B/W scanner
Size:	A3L, A4L/C, B5L/C, A5L/C, B4L
	Legal Lengthwise, Letter L/C, Invoice L/C, 11 × 17, 11 × 14, FLS, 8K, 16K L/C
Resolution:	150dpi × 150dpi, 300dpi × 300dpi, 600dpi × 600dpi
Support OS:	Windows 98/Me/2000/XP/2003Server
Driver:	TWAIN
Interface:	USB1.1

Fax Kit FK-505

Tax Kit I K-303	
Transmission Standard:	Super G3
Adaptation Circuit:	General Circuit, PBX (Internal Circuit)
Transmission Speed:	2.4kbps-33.6kbps
Compression:	MH/MR/MMR/JBIG
Transmission Time:	Approx. 3 sec [When sending a JBIG compressed A4 original with Super G3 mode]
Transmission Size:	Flatbed: Max. A3
	ADF: Max. 297(W) × 1000(Length)mm (Std/Fine/Super Fine)
	Max. 297(W) × 900(Length)mm (Super Fine, Manual Tx mode)
Recording Size:	A5C, B5C, A4L/C, B4L, A3L
Resolution:	204dpi × 98dpi (std), 204dpi × 196dpi (Fine), 204dpi × 392dpi/408dpi × 392dpi (Super Fine)
Abbreviated Dial:	200
One Touch Dial:	27
Program Dial:	4
Sequential Multiple Station	MAX. 243
Transmission:	
Other Transmitting Functions:	Book Transmission, Memory Transmission, Direct Transmission, Batch Transmission, Timer Transmission, Manual Transmission,
	Mailbox Transmission, Polling Transmission, Relay Initiation Transmission, Relay Broadcast Transmission, FAX Forwarding function
Other Receving Functions:	Memory Reception, Mailbox Reception, Polling Reception


System Option

■Fax Kit FK-505

■ Image Controller IC-205 Installed internally, the IC-205 adds a variety of advanced printing functions.

- Scanner Unit SU-502
- Network Interface Card NC-502
- Expanded Memory Unit EM-101 (32MB) EM-102(64MB)
- **Key Counter Kit**
- Key Counter Mount Kit 1
- Key Counter Mount Kit 2 ■ Mechanical Counter
- MC-503

Unimessage Pro
(Not available in some areas.) ■Unimessage I-net Portal (Not available in some areas.)



Product appearance, configuration and/or specifications are subject to change without notice.

bizhub and PageScope are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Windows is a registered trademark or trademark of Microsoft Corporation.

Microsoft Corporation.

Adobe and PostScript are registered trademarks or trademarks of

Adobe Systems Incorporated. All other brand and product names are
registered trademarks or trademarks of their respective owners.

- * As an ENERGY STAR Partner, KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. has determined that
- this product meets the ENERGY STAR guidelines for energy efficiency.
- * ENERGY STAR is a U.S. registered mark.

KONICA MINOLTA BUSINESS TECHNOLOGIES. INC.

1-6-1 Marunouchi Chiyoda-ku, Tokyo, Japan http://www.biz.konicaminolta.com

Konica Minolta copiers and multi-functional peripherals are designed with the environment in mind.

- Meets ENERGY STAR Guidelines ■ The Use of Recycled Materials
- Toner Recycle Mechanism
 Production at ISO-Certified Factories


A Requirements for safe use

- Please read and follow the instruction manual to ensure safe operation.
 Only operate using appropriate power supply and voltage.
 Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).



This catalogue was printed using SOYINK recycled paper and soy ink.

9251-3141-01 O504(E)-A1 Printed in Japan





Scan & Send

[Standard Scanner Function]

The bizhub 210 can serve as a TWAIN-compatible local scanner when connected directly to a PC via USB. It can scan originals up to A3 size and pages of books.

[Scan to E-Mail]*

You can scan a graphical or text document and attach it directly to an e-mail message as a TIFF or PDF file. This provides a quick, easy, and inexpensive way to send information to clients or colleagues.

[Scan to FTP]*

Scanned data can be sent directly to an FTP server and stored in a directory that you specify. You can convert paper documents to digital data just as simply as you would make copies, so that information can be easily shared over the network.

[Speed Dial/One-Touch Dial]


Please see Fax & Internet Fax section.

* The optional Fax Kit FK-505, Scanner Unit SU-502, and Network Interface Card NC-502 are required

USB Connection




Scan to F-Mail



The scanned image is transmitted as an attachment of the e-mail

Scan to FTP



Network Printing Function

[Standard-equipped GDI Printer Function]

Documents up to A3 size can be output from a PC. The bizhub 210 prints 21 pages/min*2 at 300 dpi or 12 pages/min*2 at 600 dpi.




people can use the

printer functions at

the same time.

[USB and Parallel Interfaces as Standard Equipment]

Even without a network, these interfaces allow direct PC



[Network Printer]*1


By mounting the optional Network Interface Card NC-502, the bizhub 210 can be used as a network printer (10Base-T/ 100Base-TX supported).

[Image Controller IC-205]

Enables PCL6 printer functions to further boost productivity with an output speed of 21 pages/min*2 at 600 dpi. The high-speed RIP once printing function lets you print out even large volume documents quickly when making multiple sets of printouts. The PCL6 functions are compatible with Citrix MetaFrame.

[Page Layout]

This function lets you print 2, 4, 6, 9, or 16 pages onto a single sheet to dramatically reduce the amount of paper used.



[Watermark]

Watermarks such as "CONFIDENTIAL" are automatically added to pages as they print. In addition to the seven preset types, up to 30 watermark types, each with a maximum of 20 characters, can be registered.




- *1 The optional Network Interface Card NC-502 is require

FAX & Internet FAX



[Super G3 Fax]

The fax function uses the Super G3 international standard and the JBIG standard high-efficiency data compression scheme. Faxes can be sent over ordinary telephone lines at high speed, keeping your communication costs down.



It takes about 3 seconds to send an A4-size original with approximately 700 characters in standard image quality mode.

[Smoothing]

Smoothing reduces the jaggies from diagonal lines and curved

[Six Image Quality Modes]

There are three image mode levels: Standard, Fine, and Super Fine. A Half Tone mode can also be combined with either of the image modes for higher quality photo transmission.

[90° Image Rotation Transmission/Reception]*1*2

The images of A4 crosswise originals are automatically rotated by 90 degrees to the lengthwise direction before sending. When receiving A4 faxes, images that arrive in a different direction from the paper supply are rotated before they are output.

Rotation reception



[Large-Capacity Memory Reception]*3

The bizhub 210 is equipped with a 32MB memory, which is capable of receiving and storing a maximum of about 280 pages. This internal memory can also be expanded up to 96MB for receiving and storing a maximum of 1,024 pages.


[Speed Dial / One-Touch Dial / Program Dial]

Register up to 200 frequently used fax numbers and e-mail addresses. Plus, you can register up to 27 destination items in the One-Touch Dial. Using the Program Dial function, you can program transmission/reception settings for specified destinations.

[Fax Forwarding Function]*4

You can forward a received fax document to specified fax numbers and e-mail addresses. Received fax documents can be printed out at the same time as they are forwarded.

Note: An e-mail environment is required for forwarding to e-mail addresse




[Direct Transmission from a PC]*4*5

Send document data directly to an outside fax via the bizhub 210 right from your PC. Now, there is no need to print the data out before faxing, thus minimising image degradation.

[Simultaneous Broadcasting by Fax and E-Mail]*4

This function enables you to broadcast one original to a maximum of 243 destinations. It also allows you to broadcast to fax and e-mail destinations as one broadcast job.


Note: An e-mail environment is required for sending to e-mail addresses



[Internet Fax]*4

Send and receive high quality image faxes over the Internet at high speeds. This can greatly reduce telephone charges, especially when communicating with people in distant locations. Note: The receiver's side must have a compatible Internet Fax machine.

Internet Fax Function



- *1 Image Rotation Transmission can be used when the original is fed in A4 (crosswise) or letter (crosswise)
- *2 Image Rotation Reception cannot be used when receiving B5-size faxes.
- *3 The fax memory is shared with the bizhub 210 main unit.
- *4 The optional Network Interface Card NC-502 and Scanner Unit SU-502 are required
- **★**5 The optional Unimessage Pro and Unimessage I-net Portal applications are required

Convenient Functions

[Quick Warm-Up/Fast First Copy]

The bizhub 210 delivers the first copy in 7 seconds*1 or less, and when in the energy saving, stand-by mode, it's ready to go in 15 seconds or less. This eliminates waiting time so you can be more productive.

[Multi-Access]

Because the scanning, printing, and communication functions are completely independent, documents can be faxed even while other documents are being printed.

[25%-400% Wide Zoom]

The bizhub 210 has a wide zoom range of 25%-400% of the original document. The zoom can be set in 1% increments, allowing you to make precise size adjustments. Moreover, the magnification rate can be set independently in both vertical and horizontal directions.

[Various Automatic Functions]

The bizhub 210 is equipped with automatic functions that assure top-quality results. These include auto-density adjustment, auto-paper selection, and auto zoom setting.

[90° Image Rotation]

When the directions of the original and the paper supply are different, the image is automatically rotated before it is output to prevent copy mistakes.




[2-in-1 / 4-in-1 Copy]*2

The 2-in-1 / 4-in-1 copy function outputs either two or four pages onto a single page, allowing you to cut costs by reducing the amount of paper used.

2-in-1 Copy



4-in-1 Copy



[Double-Sided Copies]*3

Double-sided copies can be made from single or double-sided documents. You can also make double-sided 2-in-1 and 4-in-1 copies. When copying double-sided documents, use the Reverse Automatic Document Feeder.

[Shift Sorting/Crisscross Sorting] *2*4*5

These versatile sorting functions store the images of multiple documents temporarily into memory, then copy or print them into sets with the pages in correct order, thereby eliminating the need for an additional sorter.







[Multi-Purpose Cassette & Multi Bypass Tray]*6

The Multi-Purpose Cassette accommodates paper from A3 to A5 in size, as well as postcards, transparencies, envelopes, and other special media. The 100-sheet Multi Bypass Tray also

accepts a variety of media, including thick paper, transparencies, labels, and envelopes.



[Maximum Paper Feed Capacity]

The bizhub 210 comes with a standard paper feed capacity of 250 sheets. With optional units, consecutive feeding of up to 1,350 sheets can be achieved, minimising downtime for paper replenishment and facilitating large copy runs.



[Job Separator]*7

Printer/fax outputs and copier outputs are automatically sorted on separate trays to avoid mix-ups and for easier retrieval.



A lamp, which accompanies the ob Separator and is located on the front of the main body, will switch when the Printer/Fax tray noves up, alerting the user that

- *1 A4 Crosswise
- *2 The optional Automatic Document Feeder is not required.
- *3 The optional Automatic Duplex Unit AD-504 is required
- *4 For Shift Sorting, the optional Shift Tray SF-501 is required. *5 The optional Paper Feed Unit PF-502 or Multi Bypass Tray MB-501 is required for crisscross sorting. Also, A4 or B5 output paper must be set in both crosswise and lengthwise directions in the Multi Purpose Cassette and either the Paper Feed Unit PF-502 or the Multi Bypass Tray MB-501
- *6 The Multi Bypass Tray cannot be used to feed sheets for faxing
- *7 Requires the optional Job Separator JS-503.

Management

Document Management

[PageScope Cabinet]*1

You can easily transfer scanned data to your PC. PageScope Cabinet lets you handle documents the way you want.

Note: Bundled with the optional Network Interface Card NC-502.

■ Image-correction gives you high quality scanned data

No need to re-scan paper documents when the image is slanted or off-centred. You can use PageScope Cabinet's image correcting functions to position them for easier reading.

■Simplifies data handling

Simply drag & drop documents onto registered icons to print documents or e-mail with ease.

Slant correction







Device Management

[PageScope Web Connection]*2

PageScope Web Connection lets you confirm the amount of paper and toner remaining, make speed dial settings, and designate the destination for sending scanned data, all from your PC. Note: Bundled with the optional Network Interface Card NC-502.



[PageScope Address Book Utility]*3

One-touch dial, speed dial, and other address data can be imported/exported to and from a client PC in batch form.

[Department Management]

The number of copies that have been made can be checked for up to 20 departments.

[Local Setup & Diagnosis (LSD)]*4

By connecting the bizhub 210 to your PC via a USB cable, you can manage the following on your PC, even in a networkless environment.

- Programme and change One Touch, Speed Dial and Group Dial numbers.
- Set up the initial settings for fax registrations, copy functions, and e-mail.
- Monitor the status of paper jams.
 Monitor the machine counter. (Inquire about the number of printouts)

Local Setup & Diagnosis



- *1 The optional Fax Kit FK-505, Scanner Unit SU-502, and Network Interface Card NC-502 are required.
- *2 The optional Network Interface Card NC-502 is required.
- *3 Can be downloaded from the following Web site, or obtained through your Konica Minolta service representative. http://www.biz.konicaminolta.com/km/download
- *4 Supplied with Fax Kit FK-505.

List of Functions and Options ● Standard equipment **♣** Option required 2-in-1 4-in-1 Copy Function Electronic Sorting **Shift Sorting ♣**SF-501 ♣PF-502 or MB-501 Crisscross Sorting Double-Sided Copies **♣**AD-504 Local Scanner **♣** FK-505, SU-502 and NC-502 Scan to E-Mail **♣** FK-505, SU-502 and NC-502 Scan to FTP Standard GDI Prin

Network Printer	♣ NC-502
PCL 6 Printer	+ Image Controller IC-205
Super G3 Fax	♣ FK-505
Internet Fax	♣ FK-505, SU-502 and NC-502
Simultaneous Broadcasting by Fax and E-Mail	♣ FK-505, SU-502 and NC-502
FAX Forwarding Function	♣ FK-505 (Also SU-502, NC-502 when forwarding to e-mail address)
Direct Transmission from a PC	◆FK-505, SU-502, NC-502, Unimmessage Pro* and Unimmessage I-net Portal* * Not available in some areas.

Universal Design

[Universal Design Control Panel]

With high-contrast indications, large keys, and a variable-angle LCD (24°,17°, or 10°), the user-friendly panel is designed for easy operation. The sharp, crisp display has easy-to-understand explanations, and frequently used keys are larger.



[Two-Tone Colour Design]

Two-tone earth colours are used for the body of the bizhub 210. This fresh, innovative styling is also highly practical because it makes the output pages easier to see.



[Convenient Open/Close Grip Tray]

To make opening easy, you can grip the cassette by using the sturdy handle.



[Small Footprint]

The highly functional bizhub 210, boasting a standard inner paper output path and a sorter-less electronic sorting feature, allows the machine to remain compact. This design helps keep set-up space to a minimum for ideal in-office placement.

Dimensions (unit: mm)

